

Account # _____
 Patient Name: _____
 Date sent: _____ Due Date: _____ By 5PM

Lab use only

Chart No. _____

Implant Abutment

Materials and Shade:


Titanium. Zirconia.

Hybrid(3-piece)

Shade: (default A2): _____


Design Instruction:

Margin design: Please specify the subgingival depth




Margin depth(Default Values)	Custom Values
Buccal (1.0mm)	
Lingual (0.5mm)	
Mesial (0.75mm)	
Distal (0.75mm)	

Shoulder (3D Default)




Chamfer



Special Instruction

*Implant screws are not provided unless specified.



Provide Implant screws with case. Qty: _____

Position	Implant Brand	Implant Type	Screw Type

Lab use only:

Enclosed:

imp: _____ Soft tissue: _____

bite: _____ model: _____

analog: _____ imp copying: _____

Crown(Porcelain with):

Zirconia. Titanium.

Full Crown(Milled):

E.max Titanium.
 Temporary Crown

Coping:

Zirconia. Titanium.







Shade: _____

Tooth No: _____

Implant Abutment

Structure Type:




Over Denture Bar :

- Dolder 
- Hader 
- Rectangle  W _____ L _____ mm
- Balloon  W _____ H _____ R _____ mm
- Round  R _____ mm
- Primary milled bar  A _____ S _____ L _____ mm

Fixed Hybrid Bar :

- Wax Design Wrap Around
- Denture Cutback _____ mm

Design Instruction:

- Distal extensions
Patient Left
 to 2nd premolar to 1st molar
 Specified _____ mm to 2nd molar
Patient Right
 to 2nd premolar to 1st molar
 Specified _____ mm to 2nd molar
- Space between soft tissue and the bar is _____ mm
 Shape : Follow tissue contour 
 Straight 
- Attachments : Locator
 Ball  W _____ H _____ R _____ mm
- With Retention
- Design bar according to the drawing below